

## EAST Search History

| Ref # | Hits  | Search Query              | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|-------|---------------------------|--|------------------|---------|------------------|
| L1    | 6089  | cold near cathode         | USPAT  | OR               | ON      | 2007/02/16 14:33 |
| L2    | 7     | 1 same bubble             | USPAT  | OR               | ON      | 2007/02/16 14:26 |
| L3    | 1     | 1 and (bubble near level) | USPAT  | OR               | ON      | 2007/02/16 14:52 |
| L4    | 3299  | 1 and (level)             | USPAT  | OR               | ON      | 2007/02/16 14:30 |
| L5    | 19779 | cold near cathode         | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/02/16 14:33 |
| L6    | 4     | 5 and (bubble near level) | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/02/16 14:43 |
| L7    | 2     | "5704130".pn.             | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/02/16 14:43 |
| L8    | 0     | 7 and hous\$5             | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/02/16 14:44 |
| L9    | 2     | "6568021".pn.             | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/02/16 14:44 |
| L10   | 0     | 9 and hous\$5             | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/02/16 14:44 |
| L11   | 3044  | (bubble near level)       | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/02/16 14:53 |

## EAST Search History

|     |      |                                |  |    |    |                  |
|-----|------|--------------------------------|--|----|----|------------------|
| L12 | 15   | 11 and (plurality near len\$3) | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/16 14:55 |
| L13 | 1677 | 11 and (len\$3)                | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/16 14:56 |
| L14 | 442  | 11 and (lens)                  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/16 14:56 |
| L15 | 380  | 14 and light                   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/16 14:56 |
| L16 | 171  | 15 and cylindrical             | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/16 14:57 |
| L17 | 98   | 16 and plurality               | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/16 14:57 |

## EAST Search History

| Ref # | Hits   | Search Query  | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|--------|---|--|------------------|---------|------------------|
| L1    | 1      | "20040083616".pn.   | US-PGPUB;<br>USPAT   | OR               | ON      | 2007/02/16 12:06 |
| L2    | 0      | (bouble near level) and liquid and gas and (light near source) and (light near sensor) and lens | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/02/16 12:12 |
| L3    | 7      | (bubble near level) and liquid and gas and (light near source) and (light near sensor) and lens | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/02/16 12:09 |
| L4    | 57578  | "382"/\$.ccls.  | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/02/16 12:09 |
| L5    | 69612  | "33"/\$.ccls.   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/02/16 12:09 |
| L6    | 127129 | 4 5   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/02/16 12:09 |
| L7    | 1612   | 6 and (level same (bubble bobble bouble buble))   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/02/16 12:10 |
| L8    | 327    | 7 and ((light near (source)) led)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/02/16 12:11 |

## EAST Search History

|     |    |  |  |    |    |                  |
|-----|----|--|--|----|----|------------------|
| L9  | 85 | 8 and ((light near (sensor detector)) ccd)   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/16 12:11 |
| L10 | 1  | ((bubble near level) and liquid and gas and (light near source) and (light near sensor) and lens).clm. | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/16 12:12 |
| L11 | 1  | ((bubble near level) and liquid and gas and (light near source) and (light near sensor) and lens).clm. | US-PGPUB   | OR | ON | 2007/02/16 12:12 |

## EAST Search History

| Ref # | Hits  | Search Query              | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|-------|---------------------------|--|------------------|---------|------------------|
| L1    | 6089  | cold near cathode         | USPAT  | OR               | ON      | 2007/02/16 14:33 |
| L2    | 7     | 1 same bubble             | USPAT  | OR               | ON      | 2007/02/16 14:26 |
| L3    | 1     | 1 and (bubble near level) | USPAT  | OR               | ON      | 2007/02/16 14:33 |
| L4    | 3299  | 1 and (level)             | USPAT  | OR               | ON      | 2007/02/16 14:30 |
| L5    | 19779 | cold near cathode         | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/02/16 14:33 |
| L6    | 4     | 5 and (bubble near level) | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/02/16 14:33 |

## EAST Search History

| Ref # | Hits | Search Query                           | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|--|-------|------------------|---------|------------------|
| L1    | 1    | "5704130".pn.                          | USPAT | OR               | ON      | 2007/02/16 13:00 |
| L2    | 1    | 1 and len\$5                           | USPAT | OR               | ON      | 2007/02/16 13:02 |
| L3    | 1    | "6115928".pn.                          | USPAT | OR               | ON      | 2007/02/16 13:02 |
| L4    | 2    | 1 3                                    | USPAT | OR               | ON      | 2007/02/16 13:02 |
| L5    | 0    | 4 and (display crt)                    | USPAT | OR               | ON      | 2007/02/16 13:05 |
| L6    | 75   | (bubble near level) same (display crt) | USPAT | OR               | ON      | 2007/02/16 13:06 |
| L7    | 0    | 6 same (light near source)             | USPAT | OR               | ON      | 2007/02/16 13:06 |
| L8    | 11   | 6 same (light)                         | USPAT | OR               | ON      | 2007/02/16 13:12 |
| L9    | 1    | 6 same (voltage)                       | USPAT | OR               | ON      | 2007/02/16 13:12 |

## EAST Search History

| Ref # | Hits | Search Query   | DBs      | Default Operator | Plurals | Time Stamp       |
|-------|------|--|----------|------------------|---------|------------------|
| L11   | 1    | ((bubble near level) and liquid and gas and (light near source) and (light near sensor) and lens).clm. | US-PGPUB | OR               | ON      | 2007/02/16 12:12 |

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

bubble level cold cathode

Search

[Advanced Search](#)  
[Preferences](#)

Web

Results 1 - 10 of about 109,000 for **bubble level cold cathode** . (0.17 seconds)

[CLK12RD, Logisys Clk12rd 12, 12in Cold Cathode Case Light, Red ...](#)  
CLK12RD, Logisys Clk12rd 12, 12in Cold Cathode Case Light, Red Cold Cathode Case Light, Cold Cathode Case ... Camera Tripod 53" with Bubble Level (Silver) ...  
www.geeks.com/details.asp?invitid=CLK12RD&cat=CAS - 65k - Feb 15, 2007 -  
[Cached](#) - [Similar pages](#)

### [Shutterbug: The Darkroom](#)

"Cold cathode" enlargers use fancy fluorescent tubes behind a diffuser screen for ... If yours doesn't, keep a small bubble level in your darkroom to check ...  
www.shutterbug.net/columns/the\_darkroom/0702sb\_thedarkroom/ - 76k -  
[Cached](#) - [Similar pages](#)

### [alsepg1](#)

Cold Cathode Gauge Experiment (CCGE) (See also Cold Cathode Ion Gauge) ... and the bubble level at the base of the instrument at bottom of picture. ...  
www.myspacemuseum.com/alsepu1.htm - 6k - [Cached](#) - [Similar pages](#)

### [Cold Cathode Card Cooler XT Review](#)

There is also a sweet ice-blue cold cathode light to make your case glow bright in the dark. ... The cooler itself comes in this pocket of bubble wrap. ...  
www.devhardware.com/c/a/PC-Cooling/Cold-Cathode-Card-Cooler-XT-Review/ - 86k -  
[Cached](#) - [Similar pages](#)

### [Fighting climate change with cold cathode compact fluorescents ...](#)

One can buy a bubble pack of five small fluorescent lightbulbs for about \$12.00 ... Cold cathode sounds great. But I would like to know how close the color ...  
www.terrapass.com/terrablog/posts/2006/02/fighting-climate-change-with-cold-cathode-compact-fluoresce.html - 44k - [Cached](#) - [Similar pages](#)

### [Fighting climate change with cold cathode compact fluorescents ...](#)

One can buy a bubble pack of five small fluorescent lightbulbs for about \$12.00 ... Too bad that the cold cathode bulbs from this manufacturer only come as ...  
www.terrapass.com/terrablog/posts/000153.html - 44k - [Cached](#) - [Similar pages](#)

### [Apollo Expeditions to the Moon: Chapter 12](#)

A photo of Suprathermal Ion Detector and its accompanying Cold Cathode Gauge ... The top of the thermal shroud is the platform for the bubble level and Sun ...  
history.nasa.gov/SP-350/ch-12-6.html - 17k - [Cached](#) - [Similar pages](#)

### [NSSDC Master Catalog Display: Experiment](#)

A bubble level on top of the box was used to ensure proper leveling. ... The Cold Cathode Ion Gauge (CCIG, also called Cold Cathode Gauge Experiment - CCGE) ...  
nssdc.gsfc.nasa.gov/database/MasterCatalog?sc=1971-063C&ex=5 - 10k -  
[Cached](#) - [Similar pages](#)

### [ByteSizedReviews.com :: CoolCaseMods Cold Cathode Light Kit Review](#)

The Cold cathode from Cool Case Mods came very well packaged. The light was protected inside a plastic sheath, encased in a bubble wrapped cardboard poster ...  
www.bytesizedreviews.com/index.php?rev\_id=27&action=reviews&cat\_id=67 - 19k -  
[Cached](#) - [Similar pages](#)

### [MODTHEBOX.COM - Canada's Premier Case Modding Source - Reviews ...](#)

The Standard Cold Cathode is wrapped in bubble wrap and ships in a cardboard ... A dimmer knob is used to control the level of brightness of the FlexiGlow ...

<http://www.google.com/search?hl=en&q=bubble+level+cold+cathode+&btnG=Search>



[www.modthebox.com/review167\\_1.shtml](http://www.modthebox.com/review167_1.shtml) - 47k - [Cached](#) - [Similar pages](#)

Result Page:    [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)    [Next](#)

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google